

## EAST Search History

L20	8	19 and (config\$6 activat\$4 set\$4 specif\$5 identif\$7 present\$5 interfac\$5 GUI) near4 (interfac\$5 GUI wizzard port IP near2 address\$5 identif\$6 function role task operat\$5 secur\$5 level ) near5 (user administ\$5 operator manual\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 19:57
L21	9	19 and (config\$6 activat\$4 set\$4 specif\$5 identif\$7 present\$5 interfac\$5 GUI) near4 (server target node interfac\$5 GUI wizzard port IP near2 address\$5 identif\$6 function role task operat\$5 secur\$5 level ) near5 (user administ\$5 operator manual\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:34
L22	19	19 and (config\$6 activat\$4 set\$4 specif\$5 identif\$7 present\$5 interfac\$5 GUI) near4 (server target node interfac\$5 GUI wizzard port IP near2 address\$5 identif\$6 function role task operat\$5 secur\$5 level ) near5 (server target node interfac\$5 user administ\$5 operator manual\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:53
L23	10147	709/220-223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:01
L24	12	19 and (config\$6 activat\$4 set\$4 assign\$5 ) near4 (server target node workstation device) near4 (port IP near2 address\$5 function role task operat\$5 secur\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:03
L25	2679	23 and (config\$6 activat\$4 set\$4 assign\$5 ) near4 (server target node workstation device) near4 (port IP near2 address\$5 function role task operat\$5 secur\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:04
L26	3259	23 and (config\$6 activat\$4 set\$4 assign\$5 ) near4 (server target node workstation device operating) near4 (port IP near2 address\$5 function role task operat\$5 secur\$5 environment )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:06
L27	7	26 and (config\$6 activat\$4 set\$4 assign\$5 role task ) near3 (server target node workstation device deactivat\$5 ) near2 port near5 (IP near2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:09

## EAST Search History

L28	1236	26 and (identif\$6 determin\$5 select\$5 activ\$6 securit\$5 level function role require\$5 access\$5 task\$3 operat\$5 port) near5 operating near2 system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:31
L29	82	26 and (identif\$6 determin\$5 select\$5 activ\$6) near4 securit\$5 near4 (level function role require\$5 access\$5 task\$3 operat\$5 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:09
L30	7	29 and (server target node workstation device deactivat\$5 role servic\$4 task\$3 ) near5 port near5 (IP near2 address\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:14
L31	2	29 and activat\$4 near3 port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:14
L32	5	29 and activat\$4 near5 port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:14
L33	14	29 and configu\$7 near5 port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:14
L34	4	29 and assign\$5 near5 port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:15
L35	9	29 and select\$5 near5 port	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:15
L36	18	33 35	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:15
L37	16	36 and (config\$6 activat\$4 set\$4 specif\$5 identif\$7 present\$5 interfac\$5 GUI) near4 (server target node interfac\$5 GUI wizzard port IP near2 address\$5 identif\$6 function role task operat\$5 secur\$5 level ) near5 (server target node interfac\$5 user administ\$5 operator manual\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:17
L38	10	37 and operating near2 system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:22

## EAST Search History

L39	260	26 and (identif\$6 determin\$5 ) near5 operating near2 system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:31
L40	161	26 and (identif\$6 determin\$5 ) near5 operating adj1 system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:31
L41	161	26 and (identif\$6 determin\$5 dinin\$5) near5 operating adj1 system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:32
L42	218	26 and (identif\$6 determin\$5 defin\$5) near5 operating adj1 system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:32
L43	368	26 and (identif\$6 determin\$5 defin\$5 type ) near5 operating adj1 system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:32
L44	266	26 and (identif\$6 determin\$5 defin\$5 level ) near5 operating adj1 system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:33
L45	0	26 and (identif\$6 determin\$5 defin\$5 level ) near5 securit near2 level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:33
L46	440	26 and (identif\$6 determin\$5 defin\$5 level ) near5 security	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:33
L47	57	44 and 46	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:33
L48	36	47 and (server target node interfac\$5 port IP near2 address\$5 function role task operat\$5 baseline polic\$3 rule ) near5 secur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:39
L49	19	48 and (version operating) near5 secur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:41
L50	30	48 and operating near5 (version support\$5 security associat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 20:42

## EAST Search History

L51	30	50 and (config\$6 activat\$4 set\$4 specif\$5 identif\$7 present\$5 interfac\$5 GUI input\$3 modif\$6 wizzard wizard display\$4) near4 ( user administ\$5 operator manual\$4 manager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 21:00
L52	13	51 and (stop\$4 start\$5 activat\$5) near4 (port servic\$5 role task\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 21:01
L53	16	51 and (stop\$4 start\$5 activat\$5) near4 (port servic\$5 role task\$3 secur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 21:02
L54	18	51 and (stop\$4 start\$5 activat\$5) near4 (port servic\$5 role task\$3 secur\$5 feature parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/13 21:02